



Timber Research and Development Institute Praha
Na Florenci 7-9, 111 71 Praha 1, Czech Republic

issues to the applicant:

N & H spol. s r. o.
Nová kolonie 2604/8
155 00 Praha 5 - Stodůlky
Czech Republic

plant: Thai Binh 1 Co. Ltd., Long Thanh District, Dong Nai Province, Vietnam

CERTIFICATE

No.: 1326/22

for the product

HEVEA SOLID WOOD PANELS

Prescriptions specifying the features of product:

ČSN EN 13353 Solid wood panels – Requirements and ČSN EN 13986+A1 Wood-based panels for use in construction – Characteristics, evaluation of conformity and marking.

This certificate confirms that the product mentioned above was tested according to ČSN EN 13354 and bonding quality test result the requirement of ČSN EN 13353. The product also fulfils the class of reaction to fire according to Table 8 of ČSN EN 13986+A1 under the conditions set out below:

End use condition	Min. density (kg/m ³) / Min. thickness (mm)	Class (excl. floorings)	Class (floorings)
Without an air gap behind the panel	400 / 12	D-s2, d0	Dfl-s1
With a closed or an open air gap not more than 22 mm behind the panel	400 / 12	D-s2, d2	-
With a closed air gap behind the panel	400 / 15	D-s2, d0	Dfl-s1
With a an open air gap behind the panel	400 / 18	D-s2, d0	Dfl-s1

This certificate is issued on the basis of Test report No. AP – 1300/012/06 from 2006-01-05.

The validity of this certificate is limited for 3 years, i.e. till 2025-02-08. This certificate will be deprived of validity if the conditions occurred due to changes do not correspond to those on which they were granted.

The applicant may enclose the document evidencing the conformity to the products, which are conformable to the certified one.



Jitka Beránková
Ing. Jitka Beránková, Ph.D.
Head of certification department

Prague, 2022-02-08

